


Test and inspection workstations

With its modular test and inspection workstations, LISTA offers optimised solutions for modern quality assurance practices. A variety of different test stations can be assembled from our wide selection of components in order to meet your individual needs and fulfil the most demanding requirements. You can be assured of one thing: system-based quality.





+ Utmost stability
through high-quality welded sheet steel construction

+ Great design diversity and modularity
for individual configuration and combination of top-mounted monitor cabinets with drawer and hardware cabinets

+ Secure locking system
with roller shutters, drawers, monitor doors and hinged doors to protect expensive hardware and important documents

+ Fully mobile
for mobile version

+ User-friendly
thanks to lockable keyboard drawer with full extension runner for keyboard and mouse

+ Perfect cable management
through cable conduits and openings for horizontal and vertical cable ducts

+ Optionally with lighting, power strip and ventilator
for an optimum working environment

>> Benefits of LISTA drawer cabinets
see p. 38/39

Test and inspection workstations | preconfigured



Computer cabinet

- 1 Monitor stand
- 2 Hardware cabinet
- 3 Pair of castor holders

Art no. **17.616.020**
Light grey, RAL 7035
(including push bar)



Computer cabinets

Computers and the corresponding hardware and software must be protected from dust, dirt and unauthorised access on the shop floor. The LISTA computer cabinet provides a safe and proven solution that fulfils this requirement. Equipped with:

- 1 monitor compartment with retracting door or hinged door mounted on the right, each with cylinder lock,
- 1 plain adjustable shelf in the monitor compartment with retracting door,
- 1 lockable 75 mm keyboard drawer with full extension runner,
- 1 hardware cabinet with hinged doors including lock, permanently installed power supply consisting of a 4-socket power strip (230 V) with illuminated switch, equipment extension, plain adjustable shelf,
- 1 built-in fan,
- 1 connecting cable, 5 m long,
- 1 opening in the rear panel, with removable cover
- 1 push rod (for mobile version)

Computer cabinets with retracting doors

Stationary and mobile version:
with mobile versions, nylon castors, Ø 100 mm,
monitor door can be swung upward,
monitor compartment usable dimensions
(W × D × H): 650 × 620 × 605 mm,
size of viewing window (W × H): 445 × 525 mm

Computer cabinets with hinged door mounted on the right

Stationary and mobile version:

- with mobile versions, nylon castors, Ø 100 mm
- Monitor door mounted on the right
- monitor compartment usable dimensions / monitor stand (W × D × H): 710 × 325 × 730 mm
- size of viewing window (W × H): 653.5 × 721 mm



Computer cabinets

Computer cabinets protect electronic equipment in dusty and dirty surroundings. A central power input facilitates power supply to the hardware.

36 × 36 E **W → 717 mm** **D ↗ 725 mm**



H ↑	Specification/type	Working height mm	Art. no.
1625	without power strip	880	17.640.XXX
1625	CH	880	17.641.XXX
1625	D / PE	880	17.642.XXX
1625	F	880	17.643.XXX
1625	GB	880	17.644.XXX



1762	without power strip	1020	17.645.XXX
1762	CH	1020	17.646.XXX
1762	D / PE	1020	17.647.XXX
1762	F	1020	17.648.XXX
1762	GB	1020	17.649.XXX



1800	without power strip	1000	17.610.XXX
1800	CH	1000	17.611.XXX
1800	D / PE	1000	17.612.XXX
1800	F	1000	17.613.XXX
1800	GB	1000	17.614.XXX



1937	without power strip	1140	17.615.XXX
1937	CH	1140	17.616.XXX
1937	D / PE	1140	17.617.XXX
1937	F	1140	17.618.XXX
1937	GB	1140	17.619.XXX

D → 717 mm **H ↗ 350 mm** **W ↑ 800 mm**



Monitor stand	Doors mounted	Art. no.
Full glass doors made from safety glass. Punch-outs for cable routing KEY lock individually lockable	right	69.885.XXX
	left	69.886.XXX

Accessories

Model	Art. no.
Cover flap set	1 × cable collar, 2 × cover flap 69.869.000
Adjustable shelf	smooth, load capacity 40 kg, adjustment grid 25 mm 69.889.XXX

Quality Station

- 1** Quality cabinet
- 2** Hard laminate top
- 3** Hardware cabinet
- 4** Drawer cabinet
- Support bases with privacy screen

*excluding adjustable shelf
Art. no. **16.808.000**

Art. no. **17.826.020**
Light grey, RAL 7035.



Quality Station

The Quality Station is perfectly suited for performing, recording and archiving test results in the production process and can be flexibly adapted. Files, reports and hardware are stored safely.

2 x 36 x 36 E **W** → 1434 mm **D** ↗ 725 mm

» suitable partition material for drawers see page 248



H	Specification/type	Working height mm	of drawers mm	Equipment extension	Art. no.
1900	without power strip, without lamp	750	-	1	17.800.XXX
1900	CH	750	-	1	17.801.XXX
1900	D / PE	750	-	1	17.802.XXX
1900	F	750	-	1	17.803.XXX
1900	GB	750	-	1	17.804.XXX



1900	without power strip, without lamp	750	2 × 300	-	17.805.XXX
1900	CH	750	2 × 300	-	17.806.XXX
1900	D / PE	750	2 × 300	-	17.807.XXX
1900	F	750	2 × 300	-	17.808.XXX
1900	GB	750	2 × 300	-	17.809.XXX



2100	without power strip, without lamp	950	-	1	17.820.XXX
2100	CH	950	-	1	17.821.XXX
2100	D / PE	950	-	1	17.822.XXX
2100	F	950	-	1	17.823.XXX
2100	GB	950	-	1	17.824.XXX



2100	without power strip, without lamp	950	1 × 100 / 2 × 300	1	17.825.XXX
2100	CH	950	1 × 100 / 2 × 300	1	17.826.XXX
2100	D / PE	950	1 × 100 / 2 × 300	1	17.827.XXX
2100	F	950	1 × 100 / 2 × 300	1	17.828.XXX
2100	GB	950	1 × 100 / 2 × 300	1	17.829.XXX



2200	without power strip, without lamp	1050	1 × 75	1	17.830.XXX
2200	CH	1050	1 × 75	1	17.831.XXX
2200	D / PE	1050	1 × 75	1	17.832.XXX
2200	F	1050	1 × 75	1	17.833.XXX
2200	GB	1050	1 × 75	1	17.834.XXX

Quality Stations

Specification depending on model with the following system modules:

Quality cabinet

With plastic roller shutters including cylinder lock, connection cable 3 m long, hard laminate top as working surface, fitted without tools, power supply with 2-socket and 3-socket power outlet and rocker switch for the lamp built into the housing cover

Hardware cabinet

With hinged doors including lock, permanently installed power supply consisting of a 4-socket power strip (230 V) with illuminated switch, equipment extension, connecting cable 5 m long, lockable 75 mm keyboard drawer with full extension runner

Drawer cabinet

With full extension runner, drawer load capacity 75 kg

Support base

With privacy screen



Mobility

All test and inspection workstations are also available in a mobile version. This allows you to quickly and efficiently adapt to changing requirements.



Vi kan skreddersy innredningen til ditt behov.

Vi står disponible til å bistå i deres prosjekter.

*3D tegninger.

*Oppmålinger.

*Kartlegging av behov.

*Montasje.

Ta gjerne kontakt med oss om du har et behov som ikke finnes i katalogen.



Lista ble grunnlagt i 1945

Hovedkontoret ligger i Sveits.



Produksjonen foregår i Sveits og Tyskland.



Kontaktinfo:

Ing Yngve Ege AS

Postadresse:
Postboks 1 Sentrum
0101 Oslo

Besøksadresse:
Ryenstubben 5
0679 Oslo

Tel: 23 24 10 00
Fax: 23 24 10 01

ege@ege.no

Produktansvarlig.

Navn:

Telefon:

Epost: